

KiwiPad kit

K006910

Touch screen tablet



Function

The system, installed on vehicles such as self-propelled industrial trucks or industrial vehicles with electric traction, endothermic or hybrid engines compliant with the Machinery Directive 2006/42/EC, acts as an interface between the operator and the Kiwitron devices installed; For example, it can play the video stream of KiwiEye sensors.

Directives

Electromagnetic Compatibility Directive 2014/30/EU

Directive RED 2014/53/EU

Electromagnetic compatibility for:

UNI EN 12895:2019 Industrial trucks

and related standards / ETSI standards

Kit general information

Products		Accessories		Weight
Code	Description	Code	Description	
X006910	KiwiPad	C002702	KiwiPad cable	1170 g 41,2 oz
G006410	RAM Mount Prod: RAM Mounts Model: RAM-B-138U			

Technical Data
Mechanical specifications

Dimensions	190 x 130 x 40 mm 7,5 x 5,1 x 1,6 in	Material	ABS
Weight	630 g 22,2 oz		

Electrical specifications

	min	typ.	max		typ.	max
Power supply (Vdc)	8	12-24	60	Power consumption (W)	9	19

CAN-bus

2 x Interf. CAN BUS (2A & 2B)

Wi-Fi

a/b/g 2x2 MIMO

Ethernet

1 x Gigabit Ethernet

Display

Dimensions	7 in (179.96 x 119 x 8.15 mm)	Number of dots (Pixel)	1024x600
Surface treatment Brightness	Anti-glare 800 Cd/m ²	Touch Screen	Capacitive